

# 3-day cleanliness-cum-beautification drive concludes in PSPS Govt PG College for Women

## STATE TIMES NEWS

JAMMU: Three-day Cleanliness cum beautification drive organised from June 23, 2022 to June 25, 2022 concluded on Saturday here in Padma Shri Padma Sachdev Govt. PG College for Women, Gandhi Nagar.

Thirty NCC cadets of 2 J&K Girls Bn, 42 cadets of 1J&K Girls Bn, and 24 cadets of 1J&K Naval unit enthusiastically participated.



PSPS Govt. PG College for Women, Gandhi Nagar faculty and NCC cadets posing for photograph.

ed in the three day long activities including painting of terracotta pots, trees, poles, grills, water points etc. The drive enhanced the ambience of the College.

## Power shutdown

## STATE TIMES NEWS

JAMMU: Chief Engineer, (Distribution) JPDCL Jammu has informed that the power supply to Bari Brahmana, Jak, Parts of Greater Kailash and Industrial area shall remain affected on June 26 from 6 am to 10 am. Similarly, the power supply to Dogra Hall, Rehari, Resham Ghar Colony, Bus stand, Jewel, Hari Market, Raghunath Bazar, Kaleeth Mohalla, Kamak Mandi, Manda, New Plot, Sarwal, Part of Karan Nagar and adjoining areas shall remain affected on June 26 from 8 am to 12 noon. Likewise, the power supply to Gandhi Nagar, Boria (PHE), Part of Channi Himmat, Auxiliary supply fed to SLDC, Data Centre, Bakshi Nagar, Rajpura, Gurha, Rehari, Sarwal, Kullian, Badyal, Kadyal Simbal, Simbal Morh, Makhan Pur, Tali Morh, Tanda-II and its adjoining areas shall remain affected on June 26 from 6 am to 11 am. Similarly, the power supply to Khour, Pahariwala, Jowwan, Ghaur, Thati, Ranjhan, Jandyal, Dhangri, Pahwan, Sohal, Bhalwal and adjoining areas shall remain affected on June 26 from 6 am to 10 am. Similarly, the power supply to

to Arnas, Dhamari, Mahore, Sarh Bagga and adjoining areas shall remain affected on June 27 from 9 am to 5 pm. Likewise, the power supply to Bishnau, Seora, Sarore, Sunderpur, Satriyan, Chakro and its adjoining area shall remain affected on June 27 from 7 am to 11 am. Similarly, the power supply to Salehar, Purana Pind, Miran Sahib and its adjoining areas shall remain affected on June 26 from 7 am to 11 am. Similarly, the power supply to Trikuta Nagar and its adjoining areas shall remain affected on June 26 from 7 am to 9.30 am. Likewise, the power supply to Industry area & Birpur Complex-II R/Stn shall remain affected on June 26 from 7 am to 2 pm. Similarly, the power supply to Gho Manhasa, Marh, Gajansoo and adjoining areas shall remain affected on June 27 from 6 am to 8.30 am. Similarly, the power supply to Gho Manhasa, Marh, Gajansoo and adjoining areas shall remain affected on June 26 from 6 am to 2 pm. Meanwhile, Superintending Engineer (Distribution) JPDCL, O&M Circle Kathua has informed that the power supply to Cement Factory, Industrial area, Gura Utterbhami, Manda, Sandhi, Purmandal, Data Talab, Birpur, MES, Rathnuchak, Kaluchak, Sainik Colony and its adjoining areas shall remain affected on June 26 from 6 am to 2 pm. Similarly, the power supply to Nanke Chack, Supwal and Barian shall remain affected on June 27 from 6 am to 12 noon.

## MVD teams seize 131 vehicles without HSRP across Jammu Div

### STATE TIMES NEWS

JAMMU: The teams of the Motor Vehicles Department on Saturday seized 131 vehicles without High Security Registration Plates (HSRP) during a day-long drive across Jammu Division.

In the accelerated and aggressive campaign for enforcement of compulsory affixation of High Security Registration Plates (HSRP), the teams of the Motor Vehicle Department headed by the concerned RTOs/ARTOs seized 26 vehicles in Jammu district, 19 vehicles in Samba district, 21 vehicles in Udhampur district, 21 vehicles in Kathua district, 12 vehicles in Rajouri district, 10 vehicles in Reasi district, 08 vehicles in Kishtwar district and 8 vehicles in Poonch district and 06 vehicles in Doda district.

## OFFICE OF THE EXECUTIVE ENGINEER JAL SHAKTI (HYDRAULIC) DIVISION RAMBAN

E-Mail: xenhyd.ramban@jk.gov.in hydvsramban@gmail.com

### Corrigendum No. 12

**Subject:** Re-tender of the work namely "Construction, Testing and Commissioning of 5000, 3000, 2000, 1000 GPH Slow Sand Filtration Plant, constructions of Sedimentation Tank / Filtration Gallery (depending on safe bearing capacity) along with other allied works in Jal Shakti (PHE) Division Ramban of Jammu Province under Jal Jeevan Mission (JJM)".

**Reference:** (i) e-NIT No. 154 of 2022-23 dated: 05-05-2022 issued under endorsement No: PHE/JJM/12660-71 Dated: 05-05-2022.  
(ii) Re-Tender Corrigendum No: JSHydr/DR/3114-24 Dated: 01-06-2022.

To improve the response the Tender ID No: 2022\_IFC\_168495\_27 i.e Construction of 05 No 3000 Gallons Per Hour Capacity Slow Sand Filtration Plan under Retrofitting of Water Supply Scheme Chareel Darshapura & Tender ID No: 2022\_IFC\_168495\_28 i.e Construction of 01 No Sedimentation Tank/Filtration Gallery under Retrofitting of Water Supply Scheme Muthal Alinbass, along with corrigendum to the SBD is retendered as under:

i	Publish Date	23-06-2022 (14:00 Hours)
ii	Document Download/sale start Date	23-06-2022 (14:00 Hours)
iii	Bid submission start date	23-06-2022 (14:00 Hours)
iv	Bid submission end date	29-06-2022 (16:30 Hours)

All other terms and conditions of the e-NIT shall remain same.

No:JSI/Hydr/DR/4167-77 DIP/J-3811/22  
Dated: 23-06-2022 Sd/-  
Dated: 23/06/2022 Executive Engineer,  
Jal Shakti Hydraulic Division,  
Ramban.

## IN THE COURT OF CITY JUDGE JAMMU

Present: Manjeet Rai

Dapinderjeet Singh S/o Late Manohar Singh Mehta R/o H.No. 226, Section-7, Street-8, Nanak Nagar Jammu

v/s

1. Jasbir Kou W/o Manohar Singh Mehta R/o H.No. 226, Sector -7, Street-8, Nanak Nagar Jammu. 2. Jasleen Kou W/o Surpreet Singh R/o H.No-84, Sector-F, Sector-F, Sainik Colony Jammu.

In the Matter of:- Suit for Declaration to the effect that the plaintiff being the legal heir of deceased S. Manohar Singh Mehta S/o Lal Singh Mehta Who Died on 11-02-2022 and is entitled to inherit Moveable property in the form of Vehicle Maruti Celerio ZXI bearing Registration No. JK02CC-4533 and Scooty Honda Avante bearing Regd. No. JK02CC-7525 which stand in the name of deceased Manohar Singh Mehta and Further entitled to get the vehicle Transferred in the name of plaintiff from competent authorities and with the Consequential relief of Permanent Prohibitory Injunction restraining the Defendants for raising any claim over the said vehicle.

### NOTICE TO PUBLIC AT LARGE

Whereas the above titled suit has been filed by the plaintiff/ plaintiffs against the defendant/ defendants as mentioned above.

Whereas, the public at large is hereby informed through the medium of this notice that in case any objection to the claim put forth by the plaintiff in the suit, he/she / they may appear before this court either personally or through advocate and contest the same on or before 12-07-2022, otherwise an appropriate order will be passed under law if the date fixed is declared as holiday, matter will be taken up on the next working day.

Given under my hand and seal today on 23-06-2022.

Sd/-  
CITY JUDGE  
JAMMU

## OFFICE OF THE EXECUTIVE ENGINEER TRANS. LINE MAINTT. DIV-VII, JKPTCL, AMBEDKAR CHOWK, JAMMU J&K.

Email: xentlmds@gmail.com Ph/Fax: 0191 2451732

SUBJECT:- E-NIT No: TLMD-VIII/J/T/04 of 2022-23

Dated: JO/05/2022

### CORRIGENDUM

In order to allow sufficient time to bidders and have healthy competition/participation of bidders, the date of submission & opening of bids issued Vide this office E NIT No: TLMD-VIII/J/T/04 of 2022 23 Dated: 30/05/2022 is further extended as under:

A.	e-Bid online and hard copy submission (end) date& time	29-06-2022 up to 1600Hrs
B.	Technical Bid opening Date & time	01-07-2022 at 1530 His in the Office Chamber of Executive Engineer, TLMD VIII, JKPTCL, Jammu.

No:-TLMD-VIII/J/765-67

Sd/-  
Dated: 22-06-2022 Executive Engineer

DIP/J-1399-P/22 Trans Line Maintt. Division-VIII, JKPTCL, Jammu

Dated: 25-06-2022

## OFFICE OF THE EXECUTIVE ENGINEER (DISTRIBUTION), ELECTRIC DIVISION KULGAM, KASHMIR POWER DISTRIBUTION CORPORATION LIMITED

Contact No/ Fax: - 01931-260386 E-mail:- xenpddkulgam@gmail.com

NIT: - EDK/e-tender/54 of 2022-23

Dated: - 20-06-2022

For and on behalf of the Lt. Governor of Jammu and Kashmir UT, e-tenders (Single-Cover) are hereby invited from Registered Class-A Electrical Contractors for execution of below mentioned works under PRI grants 2022-23 of District Kulgam.

S. No	Name of Work	Adv. Cost. (Lacs)	Cost of tender document	Class
1	Installation Of 63 KVA Transformer at Sheikh Mohallah Bozgam With Electric Poles	Rs 4.30lacs	Rs.200	Class-A
2	Inallation of 1 no of transformer 63 Kva Herpora Wagay Mohallah Chak Badwani	Rs 4.30Lacs	Rs 200	Class-A
3	Installation of 63 KVA transformer at sheikh Mohallah Chak Badwani	Rs 4.30Lacs	Rs 200	Class-A
4	Installation Of 63 KV Level 1 Transformer At Panchayat Ghar along with Bed, HT Poles /LT poles	Rs 4.20Lacs	Rs 200	Class-A
5	Installation Of 63 KVA Transformer Along With Transformer Bed, LT Poles /HT Poles at Dobi Mohalla Chowgam A	Rs 4.20Lacs	Rs 200	Class-A
6	Installation Of 63 KV Transformer At Wani Mohalla Near Khargund Along With LT Poles at Chowgam A	Rs 4.00Lacs	Rs 200	Class-A
1	Publishing Date & Time	20-06-2022 (1700 Hrs)		
2	Document Download / Sale Start Date & Time	20-06-2022 (1700 Hrs)		
3	Seek Clarification Start Date & Time	20-06-2022 (1700 Hrs)		
4	Seek Clarification End Date & Time	30-06-2022 (1400 Hrs)		
5	Bid Submission Start Date & Time	20-06-2022 (1700 Hrs)		
6	Bid Submission End Date & Time	06-07-2022 (1100 Hrs)		
7	Bid opening date & Time	07-07-2022 (1300 Hrs)		
8	Venue of opening Bids	Electric Division Kulgam		

Position of Funds = Authorized

Please Read Document Carefully

The Quoted rates shall be Firm, inclusive of all taxes and duties, WCT, freight, transportation up to working sites. The rates shall include costs, if any attracted towards mandatory inspections / testing by the designated agencies and the department will not be required to pay / reimburse anything over and above the price quoted.

The bidders have to upload the cost of e bid document through e challan, treasury challan/receipt deposited to MH 0801-revenue misc of Executive Engineer ED Kulgam, J&K UT.

Sd/-  
DIP/J-1430-P/22

Dated: 25/06/2022  
Executive Engineer,  
Electric Division Kulgam

No. EDK/TS/ 1136-42

Dated: - 20-06-2022

Subject: Repairing & Renovation of Fire Fighting System stage IST at Shopping Complex, Bahu plaza.

Reference: - Allotment No.JDA-I/4735-39 Dated: 18-01-2019.

Dear Sir,

The work for the subject cited above was allotted to you vide above referred No. but as per reported by the concerned AEE you have not completed the work till date. Three notices have already issued from this office vide letter No: JDA-I/5278-81 Dated 09-03-2019, JDA-I/171-77 Dated: 18-04-2019, JDA-I/654-56 Dated: 14-05-2019 but you are not adhering to the same.

- Repairing of First aid hose reel and providing new shut off nozzle complete as required. (Mentioned at Sr.No.2 of allotment order).
- Repairing of Hose boxes, repairing to box, replacement of glass complete as required with painting as required. (Mentioned at Sr No.10 of allotment order).
- Refilling of 5kg ABC type fire extinguisher (mentioned at sr No.13 of allotment order).
- Refilling of 4.5 kg Co2 type fire extinguisher (mentioned at sr No.14 of allotment order).
- Front cover of the control panel yet to be fitted and cable connection between panel to pumps are required to be done which were removed during renovation of fire pump control room.

You are directed to resume the work and get it completed at the earliest as it has been already delayed. The voltage stabilizer was arranged by this office and was intimated to you vide concerned AEE (M) letter No.JDA/Mech/2021-21/312-13 dated: 16-03-2021 for getting the system tested and commissioned but you have not taken action regarding testing and commissioning. If you fail to resume and complete the work by end of 15.07.2022, the contract shall be terminated and CDR/FDR will be forfeited and, blacklisted for three years in JDA and there will be no further correspondence in future. The work will be executed on your risk and cost.

DIP/J-1393-P/22

Dt. 25-06-22

Yours Sincerely

Executive Engineer  
JDA Division No.1  
Jammu

## OFFICE OF THE SUPERINTENDING ENGINEER PLANNING CIRCLE, KPDCL, BEMINA SRINAGAR.

### Notice Inviting Tender.

e-NITNo.: SE/EPL/KPDCL/TS/ 13 of 2022-23  
Dated: 20-06-2022.

For and on behalf of the Managing Director, Kashmir Power Distribution Corporation Limited, e-Tenders, (In Two Cover System) are hereby invited from Government Registered Original Equipment Manufacturers, for supply of Material, as details below:

Name of the Item	Qty.	Estt Cost (Lacs)	Cost of Tender Document	EMD	Completion Period/ delivery period


<tbl\_r cells